



By order of the Alabama Public Service Commission dated March 2, 2021 in Docket # U-3453.

The kWh charges shown reflect adjustment pursuant to Rates RSE and CNP for application to monthly bills effective for January 2024 billings.

PAGE	EFFECTIVE DATE	REVISION
1 of 11	April, 2021 Billings	Sixteenth

AVAILABILITY

Available to any county or municipality in which the Company operates the local electric distribution system or to the State of Alabama for service along any highway adjacent to an electric distribution system of the Company.

APPLICABILITY

Applicable to street or highway illumination, including ornamental lighting. Service hereunder shall be subject to the additional terms, conditions and adjustments set forth in Special Rules and Regulations of the Company governing application of this rate.

ADDITIONAL FACILITIES CHARGE

When the installation requires facilities not covered by the specific service conditions described below for the type of lighting equipment being installed, an Additional Facilities Charge will be added to the other monthly charges. The Additional Facilities Charge will be applied monthly in an amount equal to 2.50% of the estimated cost of any additional facilities utilized, provided, however, that any such charge shall not be less than \$1.00.

CHARACTER OF SERVICE FOR COMPANY OWNED

The annual rates set forth on pages 3 - 7 are applicable to the following service conditions:

<u>Standard and Off-Road Luminaires</u>: The annual rate is for the luminaire and the initial installation of the luminaire mounted (with an 8' bracket or shorter) on a pole to be used for any other electric distribution service. The annual rate also covers the luminaire maintenance and the replacement of lamps and photoelectric controls upon failure.

<u>Decorative Post Top and Shoebox Luminaires</u>: The annual rate is for the luminaire, the luminaire maintenance, and the replacement of lamps and photoelectric controls upon failure.

<u>Poles</u>: Any pole installed to serve only lighting facilities will be billed the annual rate. The annual rate is for the pole only. The poles are available for use with all Company-owned luminaires subject to luminaire/pole mounting compatibility.

The Company shall determine the most economical method of installation and control for all Company-owned luminaires. When the installation requires facilities not covered by the specific service conditions described above, an Additional Facilities Charge, computed as described under the heading "Additional Facilities", will be added to the other applicable charges for the installation. Neither the annual rate nor the Additional Facilities Charge covers the replacement



By order of the Alabama Public Service Commission dated March 2, 2021 in Docket # U-3453.

The kWh charges shown reflect adjustment pursuant to Rates RSE and CNP for application to monthly bills effective for January 2024 billings.

PAGE	EFFECTIVE DATE	REVISION
2 of 11	April, 2021 Billings	Sixteenth

of lamps, luminaires, poles, or conductors damaged or destroyed due to vandalism or willful abuse. Such replacements will be performed by the Company at the Customer's expense.

CHARACTER OF SERVICE FOR CUSTOMER OWNED

The annual rates set forth on page 8 cover the replacement of lamps and photoelectric controls upon routine failure. Lamps or photoelectric controls damaged or destroyed due to vandalism or willful abuse are not covered by the rate and will be replaced at the Customer's expense. Customer-owned luminaires and PE cell controls must be approved in advance as to serviceability and accessibility to be eligible for the Customer-owned SLM rate. Where access requires traffic control measures deemed to be beyond the Company's standard procedures (e.g., Freeways), the Company will provide lamps and photoelectric controls to the Customer and the performance of the necessary replacements will be the responsibility of the Customer. The Customer is responsible for the installation of all equipment and the electrical distribution system for the lighting. The distribution system shall serve no other electrical loads except the lighting equipment eligible for this rate. The Customer-owned fixtures may not be installed on Company poles. The Customer is responsible for all maintenance other than the replacement of lamps and photoelectric controls, except where access requires traffic control measures deemed to be beyond the Company's standard procedures as specified above. The Company may, at the request and at the expense of the Customer, replace or repair fixtures and glassware, if in stock.



By order of the Alabama Public Service Commission dated March 2, 2021 in Docket # U-3453.

The kWh charges shown reflect adjustment pursuant to Rates RSE and CNP for application to monthly bills effective for January 2024 billings.

PAGE	EFFECTIVE DATE	REVISION
3 of 11	April, 2021 Billings	Sixteenth

ANNUAL RATE

	I. Company Owned			
	Lamp	Monthly	Annual	
Standard Luminaires:	Lumens	<u>kWh</u>	<u>Rate</u>	
Open Bottom:				
70 Watt H. P. Sodium	5,800	36	\$72.34	
100 Watt H. P. Sodium	9,500	51	\$116.92	
Cutoff Cobra Head:				
70 Watt H. P. Sodium	5,800	36	\$145.18	
100 Watt H. P. Sodium	9,500	51	\$161.20	
150 Watt H. P. Sodium	15,000	69	\$194.79	
250 Watt H. P. Sodium	25,500	113	\$274.65	
400 Watt H. P. Sodium	47,000	175	\$380.07	
150 Watt Metal Halide	13,000	62	\$219.29	
350 Watt Metal Halide	33,000	144	\$351.66	
Cobra Head:				
70 Watt H. P. Sodium	5,800	36	\$102.46	
100 Watt H. P. Sodium	9,500	51	\$124.60	
150 Watt H. P. Sodium	15,000	69	\$169.71	
250 Watt H. P. Sodium	25,500	113	\$240.69	
400 Watt H. P. Sodium	47,000	175	\$329.19	
150 Watt Metal Halide	13,000	62	\$216.65	
350 Watt Metal Halide	33,000	144	\$349.02	
Decorative Post Top Luminaires:				
Colonial Style:				
70 Watt H. P. Sodium	5,800	36	\$132.10	
100 Watt H. P. Sodium	9,500	51	\$146.44	
150 Watt H. P. Sodium	15,000	69	\$170.55	
100 Watt Metal Halide	9,000	45	\$169.60	
150 Watt Metal Halide	13,000	62	\$218.69	



By order of the Alabama Public Service Commission dated March 2, 2021 in Docket # U-3453.

The kWh charges shown reflect adjustment pursuant to Rates RSE and CNP for application to monthly bills effective for January 2024 billings.

	PAGE	EFFECTIVE DATE		REVISION
	4 of 11	April, 2021 Billings		Sixteenth
		NA (1.1		
	Lamp	Monthly	Annua	
	<u>Lumens</u>	<u>kWh</u>	Rate	<u> </u>
Cutoff Acorn Style:				
100 Watt H. P. Sodium	9,500	51	\$465.5	
150 Watt H. P. Sodium	15,000	69	\$483.3	39
100 Watt Metal Halide	9,000	45	\$470.8	30
150 Watt Metal Halide	13,000	62	\$487.3	37
A a a sua. Ota da a				
Acorn Style:	0.500	- 4	Φ005.6	20
100 Watt H. P. Sodium	9,500	51	\$235.3	
150 Watt H. P. Sodium	15,000	69	\$273.3	
100 Watt Metal Halide	9,000	45	\$347.0	
150 Watt Metal Halide	13,000	62	\$363.6	35
Cutoff Coach Lantern Style:				
100 Watt H. P. Sodium	9,500	51	\$384.8	00
	•			
150 Watt H. P. Sodium	15,000	69	\$402.6	03
Coach Lantern Style:				
100 Watt H. P. Sodium	9,500	51	\$244.6	60
150 Watt H. P. Sodium	15,000	69	\$282.6	
100 Watt Metal Halide	9,000	45	\$355.1	
150 Watt Metal Halide	13,000	62	\$371.6	
100 Wall Woldi Hallac	10,000	0L	φονιι	50
Off-Road Luminaires:				
150 Watt H. P. Sodium	15,000	69	\$241.2	23
250 Watt H. P. Sodium	25,500	113	\$283.7	
400 Watt H. P. Sodium	47,000	175	\$377.0	
100 Wall III I Godiam	17,000	170	φοιτι	,,
Cutoff Off Road:				
150 Watt H. P. Sodium	15,000	69	\$313.9	95
250 Watt H. P. Sodium	25,500	113	\$372.8	
400 Watt H. P. Sodium	47,000	175	\$461.5	
350 Watt Metal Halide	33,000	144	\$489.4	
or in the state of	33,033		φ.σσ.	· _



By order of the Alabama Public Service Commission dated March 2, 2021 in Docket # U-3453.

The kWh charges shown reflect adjustment pursuant to Rates RSE and CNP for application to monthly bills effective for January 2024 billings.

PAGE	EFFECTIVE DATE	REVISION
5 of 11	April, 2021 Billings	Sixteenth

The Following Luminaires Are No Longer Available for New Company Owned Installations or for Replacement of Existing Company Owned Installations:

-	Lamp	Monthly	Annual
	<u>Lumens</u>	<u>kWh</u>	<u>Rate</u>
Standard Luminaires:			
Incandescents:			
189 Watt	2,500	68	\$91.61
295 Watt	4,000	106	\$136.80
405 Watt	6,000	146	\$186.74
620 Watt	10,000	223	\$279.73
Mercury Vapor:			
100 Watt	3,600	42	\$74.62
175 Watt	7,000	74	\$125.09
250 Watt	11,000	105	\$165.62
400 Watt	20,000	166	\$264.21
700 Watt	37,000	281	\$435.74
1,000 Watt	55,000	397	\$590.09
Cobra Head:			
1,000 Watt H. P. Sodium	130,000	397	\$681.29
175 Watt Metal Halide	12,000	75	\$196.47
250 Watt Metal Halide	18,000	105	\$240.14
400 Watt Metal Halide	32,000	163	\$299.07
1,000 Watt Metal Halide	100,000	393	\$648.18
Decorative Post Top Luminaires:			
Cutoff Colonial Style:			
70 Watt H. P. Sodium	5,800	36	\$179.26
100 Watt H. P. Sodium	9,500	51	\$200.92
150 Watt H.P.Sodium	15,000	69	\$242.43
100 Watt Metal Halide	9,000	45	\$204.52
150 Watt Metal Halide	13,000	62	\$253.61
Colonial Style:			
175 Watt Metal Halide	12,000	75	\$194.07
Contemporary Style:			
100 Watt H. P. Sodium	9,500	51	\$130.12
150 Watt H. P. Sodium	15,000	69	\$158.07
175 Watt Metal Halide	12,000	75	\$180.87
Acorn Style:			
175 Watt Metal Halide	12,000	75	\$282.27
250 Watt Metal Halide	18,000	105	\$301.82



By order of the Alabama Public Service Commission dated March 2, 2021 in Docket # U-3453.

The kWh charges shown reflect adjustment pursuant to Rates RSE and CNP for application to monthly bills effective for January 2024 billings.

	PAGE 6 of 11	April, 2021 Billings	REVISION Sixteenth	
Cutoff Coach Lantern Style:				
100 Watt Metal Halide	9,000	45	\$390.04	
150 Watt Metal Halide	13,000	62	\$406.61	
Coach Lantern Style:				
175 Watt Metal Halide	12,000	75	\$291.51	
250 Watt Metal Halide	18,000	105	\$301.82	
Off-Road Luminaires: 350 Watt Metal Halide	33,000	144	\$440.94	



By order of the Alabama Public Service Commission dated March 2, 2021 in Docket # U-3453.

The kWh charges shown reflect adjustment pursuant to Rates RSE and CNP for application to monthly bills effective for January 2024 billings.

PAGE	EFFECTIVE DATE	REVISION
7 of 11	April, 2021 Billings	Sixteenth

The Following Luminaires Are No Longer Available for New Company Owned Installations or for Replacement of Existing Company Owned Installations (Continued from previous page):

	Lamp	Monthly	Annual
	<u>Lumens</u>	kWh	<u>Rate</u>
Shoebox Luminaires:			
100 Watt H. P. Sodium	9,500	51	\$194.68
150 Watt H. P. Sodium	15,000	69	\$227.91
250 Watt H. P. Sodium	25,500	113	\$289.41
250 Watt Metal Halide	18,000	105	\$275.54
400 Watt Metal Halide	32,000	163	\$342.87



By order of the Alabama Public Service Commission dated March 2, 2021 in Docket # U-3453.

The kWh charges shown reflect adjustment pursuant to Rates RSE and CNP for application to monthly bills effective for January 2024 billings.

PAGE	EFFECTIVE DATE	REVISION
8 of 11	April, 2021 Billings	Sixteenth

Poles:	Annual Rate
Wood:	
30' CCA	\$39.00
35' CCA	\$45.00
40' CCA	\$57.00
45' CCA	\$72.00
50' CCA	\$79.20
Fiberglass/Aluminum:	
20' Round	\$55.17
30' Round	\$128.76
35' Round	\$144.36
40' Round	\$166.56
Concrete:	
16' Fluted	\$188.37
16' Octagonal	\$103.22
35' Standard	\$202.20
40' Standard	\$246.00
45' Standard	\$276.00
50' Standard	\$291.27
Aluminum:	
17' Decorative Base	\$117.36

The Following Poles Are No Longer Available for New Company Owned Installations or for Replacement of Existing Company Owned Installations:

Concrete:	
25' Square Tapered	\$122.16
30' Square Tapered	\$127.68
35' Square Tapered	\$138.96
16' Round	\$117.60
20' Round	\$124.80
23' Decorative Base	\$202.56



By order of the Alabama Public Service Commission dated March 2, 2021 in Docket # U-3453.

The kWh charges shown reflect adjustment pursuant to Rates RSE and CNP for application to monthly bills effective for January 2024 billings.

PAGE	EFFECTIVE DATE	REVISION
9 of 11	April, 2021 Billings	Sixteenth

ANNUAL RATE II. Customer Owned

	Lamp	Monthly	Annual
	<u>Lumens</u>	<u>kWh</u>	<u>Rate</u>
70 Watt H. P. Sodium	5,800	36	\$64.30
100 Watt H. P. Sodium	9,500	51	\$81.88
150 Watt H. P. Sodium	15,000	69	\$109.95
250 Watt H. P. Sodium	25,500	113	\$165.45
400 Watt H. P. Sodium	47,000	175	\$240.03
1,000 Watt H. P. Sodium	130,000	397	\$479.09
100 Watt Metal Halide (Pulse)	9,000	45	\$97.60
150 Watt Metal Halide (Pulse)	13,000	62	\$136.61
350 Watt Metal Halide (Pulse)	33,000	144	\$241.38

The Following Luminaires Are No Longer Available for New Customer Owned Installations or for Replacement of Existing Customer Owned Installations:

175 Watt Metal Halide	12,000	75	\$137.19
250 Watt Metal Halide	18,000	105	\$172.70
400 Watt Metal Halide	32,000	163	\$238.23
189 Watt Incandescent	2,500	68	\$85.01
295 Watt Incandescent	4,000	106	\$129.36
405 Watt Incandescent	6,000	146	\$178.46
620 Watt Incandescent	10,000	223	\$269.65
100 Watt Mercury Vapor	3,600	42	\$67.18
175 Watt Mercury Vapor	7,000	74	\$108.77
250 Watt Mercury Vapor	11,000	105	\$136.94
400 Watt Mercury Vapor	20,000	166	\$225.81
700 Watt Mercury Vapor	37,000	281	\$372.62
1,000 Watt Mercury Vapor	55,000	397	\$509.45



By order of the Alabama Public Service Commission dated March 2, 2021 in Docket # U-3453.

The kWh charges shown reflect adjustment pursuant to Rates RSE and CNP for application to monthly bills effective for January 2024 billings.

PAGE	EFFECTIVE DATE	REVISION
10 of 11	April, 2021 Billings	Sixteenth

<u>The Following Luminaires Are No Longer Available for New Customer Owned Installations:</u>

	Lamp	Monthly	Annual
	<u>Lumens</u>	<u>kWh</u>	<u>Rate</u>
1,000 Watt Metal Halide (Probe Start)	100,000	393	\$517.57

PAYMENT

Bills for service rendered hereunder are payable within ten (10) days from due date and if not paid within such period become delinquent and subject to charges set forth in the Company's Rules and Regulations.

CONTRACT PERIOD

Service under this rate shall be for a minimum period of five (5) years and thereafter extended from year to year unless terminated by written notice from the Consumer sixty (60) days or more prior to the expiration of the initial period or any subsequent anniversary date. Service under this rate is subject to rules and regulations approved or prescribed by the Alabama Public Service Commission.

ENERGY COST RECOVERY

The amount calculated at the above rate will be increased under the provisions of the Company's Rate ECR (Energy Cost Recovery) by applying the effective Energy Cost Recovery Factor.

RATE STABILIZATION AND EQUALIZATION

Rate RSE (Rate Stabilization and Equalization Factor) is incorporated in this rate and will be applied to adjust (increase or decrease) kWh charges calculated hereunder.

ADJUSTMENT FOR COMMERCIAL OPERATION OF CERTIFICATED NEW PLANT

Rate CNP (Adjustment for Commercial Operation of Certificated New Plant) is incorporated in this rate and will be applied to increase kWh charges calculated hereunder.



By order of the Alabama Public Service Commission dated March 2, 2021 in Docket # U-3453.

The kWh charges shown reflect adjustment pursuant to Rates RSE and CNP for application to monthly bills effective for January 2024 billings.

PAGE	EFFECTIVE DATE	REVISION
11 of 11	April, 2021 Billings	Sixteenth

GENERAL

The amount calculated at the above rate is subject to possible tax adjustment as set forth in Rate T (Tax Adjustment) and to rules and regulations approved or prescribed by the Alabama Public Service Commission, including any Special Rules and Regulations governing the application of this rate.