

**Fish Collected in the Weiss Bypass, Fall 2004  
by Backpack and Seine  
Reps Were Not Tracked Separately as They Were in Later Years**

	Community Sampling Station 2	Community Sampling Station 3	Community Sampling Station 4	Total
Longnose gar	1	.	.	1
Gizzard shad	7	.	.	7
Threadfin shad	111	.	.	111
Largescale stoneroller	161	2	11	174
Alabama Shiner	.	1	.	1
Blacktail shiner	11	24	10	45
Red Shiner	280	63	24	367
Golden shiner	3	.	.	3
Silverstripe shiner	.	9	2	11
Bullhead minnow	28	46	34	108
Alabama hogsucker	.	2	.	2
Black redhorse	1	.	.	1
Blacktail redhorse	.	1	.	1
Yellow bullhead	1	.	.	1
Channel catfish	4	.	4	8
Flathead catfish	.	2	.	2
Blackspotted topminnow	.	.	1	1
Mosquitofish	7	2	.	9
Shadow bass	.	2	.	2
Green sunfish	16	40	8	64
Warmouth	6	1	.	7
Bluegill	25	60	26	111
Longear sunfish	20	17	18	55
Redear sunfish	.	1	.	1
Redspotted sunfish	.	3	4	7
Sunfish hybrid	1	.	.	1
Spotted bass	1	.	5	6
Largemouth bass	4	3	.	7
Black crappie	.	.	1	1
Greenbreast darter	.	2	.	2
Speckled darter	.	14	3	17
Mobile logperch	.	1	.	1
Blackbanded darter	.	5	7	12
River darter	.	.	1	1
Freshwater drum	1	.	.	1
Total	689	301	159	1149