

Fish Collected in the Weiss Bypass, Fall 2004
Method: Boat Electrofishing
Includes Only Fish That Were Actually Collected^a

Community Sampling Station 1

	East		West		Total
	Rep		Rep		
	1	2	1	2	
Gizzard shad	58	2	60	17	137
Threadfin shad	119	.	217	3	339
Red Shiner	.	.	.	1	1
Common carp	.	.	1	.	1
Spotted sucker	.	.	.	4	4
Black redhorse	.	1	.	.	1
Blacktail redhorse	1	1	1	.	3
Blue catfish	.	.	1	2	3
Bluegill	.	2	5	15	22
Redear sunfish	1	.	.	1	2
Spotted bass	1	.	2	5	8
Largemouth bass	.	2	1	2	5
White crappie	.	2	1	1	4
Black crappie	1	2	2	3	8
Freshwater drum	3	1	3	4	11
Total	184	13	294	58	549

a. Site = Community Sampling Station 1

Fish Collected in the Weiss Bypass, Fall 2004
Method: Boat Electrofishing
Includes Only Fish That Were Actually Collected^a

Community Sampling Station 2

	East		West		Total
	Rep		Rep		
	1	2	1	2	
Gizzard shad	224	2	107	6	339
Threadfin shad	234	.	70	.	304
Bullhead minnow	.	3	.	.	3
Spotted sucker	.	2	.	.	2
Blacktail redhorse	1	3	1	4	9
Blue catfish	.	.	.	1	1
Channel catfish	.	.	1	1	2
White bass	2	.	.	.	2
Yellow bass	3	2	.	.	5
Striped bass	.	1	.	.	1
Warmouth	.	1	.	.	1
Bluegill	13	10	9	10	42
Longear sunfish	1	.	.	.	1
Redear sunfish	1	1	1	1	4
Spotted bass	.	.	.	2	2
Largemouth bass	1	2	3	1	7
White crappie	1	1	.	.	2
Black crappie	1	.	1	1	3
Freshwater drum	5	7	2	4	18
Total	487	35	195	31	748

a. Site = Community Sampling Station 2

Fish Collected in the Weiss Bypass, Fall 2004
Method: Boat Electrofishing
Includes Only Fish That Were Actually Collected^a

Community Sampling Station 3

	East		West		Total
	Rep		Rep		
	1	2	1	2	
Gizzard shad	35	2	34	4	75
Threadfin shad	9	3	282	.	294
Largescale stoneroller	1	.	.	.	1
Red Shiner	.	.	1	.	1
Bullhead minnow	1	3	.	.	4
Smallmouth buffalo	1	.	.	.	1
Spotted sucker	1	1	1	1	4
River redhorse	3	.	.	.	3
Black redhorse	.	1	.	.	1
Blacktail redhorse	10	2	2	2	16
Blue catfish	.	.	4	.	4
Channel catfish	5	5	1	.	11
Yellow bass	3	13	3	1	20
Striped bass	3	2	.	.	5
Bluegill	6	2	5	7	20
Longear sunfish	1	.	.	.	1
Redear sunfish	.	.	.	1	1
Spotted bass	2	1	.	2	5
Largemouth bass	.	4	.	1	5
White crappie	.	.	.	2	2
Black crappie	2	1	1	9	13
Freshwater drum	4	7	7	5	23
Total	87	47	341	35	510

a. Site = Community Sampling Station 3

Fish Collected in the Weiss Bypass, Fall 2004
Method: Boat Electrofishing
Includes Only Fish That Were Actually Collected^a

Community Sampling Station 4

	East		West		Total
	Rep		Rep		
	1	2	1	2	
Gizzard shad	28	1	3	1	33
Threadfin shad	53	.	136	16	205
Largescale stoneroller	5	.	.	.	5
Blacktail shiner	4	.	.	.	4
Common carp	.	.	1	.	1
Silver chub	.	1	.	.	1
Silverstripe shiner	2	5	1	.	8
Alabama hogsucker	1	.	.	1	2
Spotted sucker	1	2	2	1	6
River redhorse	2	.	.	1	3
Black redhorse	6	4	.	.	10
Blacktail redhorse	2	1	5	11	19
Blue catfish	1	.	.	.	1
Channel catfish	10	5	16	8	39
Flathead catfish	.	.	1	.	1
Yellow bass	16	11	8	11	46
Striped bass	4	2	2	.	8
Redbreast sunfish	.	1	.	.	1
Bluegill	22	11	29	14	76
Longear sunfish	.	.	3	3	6
Redear sunfish	2	1	1	1	5
Spotted bass	5	5	5	5	20
Largemouth bass	3	1	.	5	9
Black crappie	.	4	4	8	16
Logperch	.	.	1	.	1
Freshwater drum	17	8	23	42	90
Total	184	63	241	128	616

a. Site = Community Sampling Station 4