

Fish Collected in the Weiss Bypass, Fall 2005
Backpack and Seine - Reps 1-30
Ignores Habitat and Simply Looks at Reps
Note: In Earlier Version, Shoreline Skewed Reps 1 & 2^a

Community Sampling Station 1

	Rep									
	1	2	3	4	5	6	7	8	9	10
Blackspotted topminnow	2	.	.	2
Mosquitofish	1	.	.
Green sunfish	2	.	1	.
Warmouth	1	.	.	.	1	.	.	2	2	.
Bluegill	1	.	6	3	3	2	2	.	5	1
Hybrid sunfish	.	1	1	.	2	1	2	6	6	8
Largemouth bass	1	1	1	1	.	1	.	2	1	.
Total	3	2	8	4	6	4	8	11	15	11

Fish Collected in the Weiss Bypass, Fall 2005
Backpack and Seine - Reps 1-30
Ignores Habitat and Simply Looks at Reps
Note: In Earlier Version, Shoreline Skewed Reps 1 & 2^a

Community Sampling Station 1

	Rep									
	11	12	13	14	15	16	17	18	19	20
Blackspotted topminnow	1
Mosquitofish
Green sunfish	11	4	3	4	6	5	.	4	6	10
Warmouth	.	1	1	5	.	.	2	.	.	1
Bluegill	1	2	.	24	7	12	15	7	5	5
Hybrid sunfish	9	7	2	.	2	3	4	2	.	2
Largemouth bass	.	1	.	.	.	1	.	.	2	.
Total	21	15	6	33	15	22	21	13	13	18

Fish Collected in the Weiss Bypass, Fall 2005
Backpack and Seine - Reps 1-30
Ignores Habitat and Simply Looks at Reps
Note: In Earlier Version, Shoreline Skewed Reps 1 & 2^a

Community Sampling Station 1

	Rep									Total
	21	23	24	25	26	27	28	29	30	
Blackspotted topminnow	1	1	.	.	.	7
Mosquitofish	1	1	.	.	3
Green sunfish	56
Warmouth	16
Bluegill	1	.	1	2	.	.	.	9	9	123
Hybrid sunfish	.	1	2	2	.	.	.	2	5	70
Largemouth bass	.	.	.	1	13
Total	1	1	3	5	1	2	1	11	14	288

a. Site = Community Sampling Station 1

Fish Collected in the Weiss Bypass, Fall 2005
Backpack and Seine - Reps 1-30
Ignores Habitat and Simply Looks at Reps
Note: In Earlier Version, Shoreline Skewed Reps 1 & 2^a

Community Sampling Station 2

	Rep									
	1	2	3	4	5	6	7	8	9	10
Spotted gar	1
Gizzard shad
Threadfin shad
Largescale stoneroller
Blacktail shiner
Red Shiner	1	.	.	.
Bullhead minnow	1
Hybrid Bullhead	.	.	.	1
Blackspotted topminnow	.	.	.	1	.	.	2	.	.	.
Mosquitofish	1	1	.	2
Green sunfish	2	3	.	1	2	3
Warmouth	.	1	1	1	1	.	1	1	.	4
Bluegill	14	17	9	6	11	14	4	19	7	7
Longear sunfish
Hybrid sunfish	8	.	.	3	2	2	3	10	6	15
Largemouth bass	.	.	.	1
Total	24	18	10	13	15	20	12	32	15	31

Fish Collected in the Weiss Bypass, Fall 2005
Backpack and Seine - Reps 1-30
Ignores Habitat and Simply Looks at Reps
Note: In Earlier Version, Shoreline Skewed Reps 1 & 2^a

Community Sampling Station 2

	Rep									
	11	12	13	14	15	16	17	18	19	20
Spotted gar
Gizzard shad	5
Threadfin shad	.	2	5	.	10
Largescale stoneroller	.	.	.	1
Blacktail shiner	.	1	6	1	2	1	4	3	.	1
Red Shiner	.	78	179	24	39	63	32	99	28	13
Bullhead minnow	3	59	18	.	13	23	10	2	7	5
Hybrid Bullhead
Blackspotted topminnow
Mosquitofish	.	.	.	2	1
Green sunfish	5	2	2	.	.	.
Warmouth
Bluegill	3	.	.	2	4
Longear sunfish
Hybrid sunfish	.	7	.	.	12	2	4	.	2	5
Largemouth bass	.	1	2
Total	3	148	203	28	77	94	52	109	39	40

Fish Collected in the Weiss Bypass, Fall 2005
Backpack and Seine - Reps 1-30
Ignores Habitat and Simply Looks at Reps
Note: In Earlier Version, Shoreline Skewed Reps 1 & 2^a

Community Sampling Station 2

	Rep								
	21	22	23	24	25	26	27	28	29
Spotted gar
Gizzard shad
Threadfin shad	.	.	1
Largescale stoneroller
Blacktail shiner	.	.	1
Red Shiner	5	.	9	6	.	6	.	2	.
Bullhead minnow	5	1	.	3	.	1	.	1	.
Hybrid Bullhead
Blackspotted topminnow
Mosquitofish	.	.	.	1	1
Green sunfish	.	.	3	1	2	.	10	3	1
Warmouth	.	1	1	.
Bluegill	1	10	7	1	9	.	1	2	3
Longear sunfish
Hybrid sunfish	.	5	.	1	1	5	4	6	1
Largemouth bass	1	.	1
Total	12	17	22	13	12	12	15	15	6

Fish Collected in the Weiss Bypass, Fall 2005
Backpack and Seine - Reps 1-30
Ignores Habitat and Simply Looks at Reps
Note: In Earlier Version, Shoreline Skewed Reps 1 & 2^a

Community Sampling Station 2

	Rep	Total
	30	
Spotted gar	.	1
Gizzard shad	.	5
Threadfin shad	.	18
Largescale stoneroller	.	1
Blacktail shiner	.	20
Red Shiner	7	591
Bullhead minnow	.	152
Hybrid Bullhead	.	1
Blackspotted topminnow	.	3
Mosquitofish	.	9
Green sunfish	1	41
Warmouth	.	12
Bluegill	4	155
Longear sunfish	1	1
Hybrid sunfish	4	108
Largemouth bass	1	7
Total	18	1125

a. Site = Community Sampling Station 2

Fish Collected in the Weiss Bypass, Fall 2005
Backpack and Seine - Reps 1-30
Ignores Habitat and Simply Looks at Reps
Note: In Earlier Version, Shoreline Skewed Reps 1 & 2^a

Community Sampling Station 3

	Rep									
	1	2	3	4	5	6	7	8	9	10
Largescale stoneroller
Alabama Shiner
Blacktail shiner	16	1	14	.
Red Shiner	.	13	5	.
Silverstripe shiner
Riffle minnow	1	.
Mosquitofish	2	.
Redbreast sunfish	1	.	13	7	4
Green sunfish	.	.	1
Warmouth	2	.	.	1
Bluegill	3	.	1	3	4
Longear sunfish	7	.	2	3	1
Spotted bass	1	.	.	.	1
Largemouth bass
Greenbreast darter
Speckled darter	3
Blackbanded darter	.	.	.	1
Bronze darter
Total	13	13	17	15	1	1	16	1	22	12

Fish Collected in the Weiss Bypass, Fall 2005
Backpack and Seine - Reps 1-30
Ignores Habitat and Simply Looks at Reps
Note: In Earlier Version, Shoreline Skewed Reps 1 & 2^a

Community Sampling Station 3

	Rep									
	11	12	13	14	15	16	17	18	19	20
Largescale stoneroller
Alabama Shiner	2	1	1
Blacktail shiner	3	2	.	.	.	3	.	2	.	2
Red Shiner	.	.	.	3	2	1	1	1	.	.
Silverstripe shiner
Riffle minnow
Mosquitofish
Redbreast sunfish
Green sunfish
Warmouth
Bluegill
Longear sunfish
Spotted bass
Largemouth bass
Greenbreast darter	.	.	1
Speckled darter	.	1	1	.
Blackbanded darter
Bronze darter
Total	5	4	1	3	2	4	1	3	1	3

Fish Collected in the Weiss Bypass, Fall 2005
Backpack and Seine - Reps 1-30
Ignores Habitat and Simply Looks at Reps
Note: In Earlier Version, Shoreline Skewed Reps 1 & 2^a

Community Sampling Station 3

	Rep								
	21	22	23	24	25	26	27	28	29
Largescale stoneroller	1
Alabama Shiner	.	.	1
Blacktail shiner	3	.	4	.	.	2	.	10	.
Red Shiner	.	.	1
Silverstripe shiner	2	.	.
Riffle minnow
Mosquitofish
Redbreast sunfish	1
Green sunfish	.	2
Warmouth
Bluegill	.	.	.	1	2
Longear sunfish	.	.	2	1
Spotted bass	2
Largemouth bass	1
Greenbreast darter	1	.	.
Speckled darter	1
Blackbanded darter	.	.	2
Bronze darter	1
Total	4	2	10	1	1	2	3	10	8

Fish Collected in the Weiss Bypass, Fall 2005
Backpack and Seine - Reps 1-30
Ignores Habitat and Simply Looks at Reps
Note: In Earlier Version, Shoreline Skewed Reps 1 & 2^a

Community Sampling Station 3

	Rep	Total
	30	
Largescale stoneroller	5	6
Alabama Shiner	.	5
Blacktail shiner	5	67
Red Shiner	.	27
Silverstripe shiner	.	2
Riffle minnow	.	1
Mosquitofish	1	3
Redbreast sunfish	.	26
Green sunfish	.	3
Warmouth	.	3
Bluegill	1	15
Longear sunfish	.	16
Spotted bass	.	4
Largemouth bass	.	1
Greenbreast darter	.	2
Speckled darter	2	8
Blackbanded darter	.	3
Bronze darter	.	1
Total	14	193

a. Site = Community Sampling Station 3

Fish Collected in the Weiss Bypass, Fall 2005
Backpack and Seine - Reps 1-30
Ignores Habitat and Simply Looks at Reps
Note: In Earlier Version, Shoreline Skewed Reps 1 & 2^a

Community Sampling Station 4

	Rep									
	1	2	3	4	5	6	7	8	9	10
Gizzard shad	1	7	3
Largescale stoneroller	.	.	2	2	1	.
Alabama Shiner
Blacktail shiner	3	2	13	2	4	.	47	25	.	4
Red Shiner	2	1	17	7	3	.	40	12	1	1
Striped shiner	1	.	1
Silver chub	1	1	.
Silverstripe shiner	1	.	.	.
Bullhead minnow	1	.	.	.	3	1
Mosquitofish	1
Banded sculpin
Redbreast sunfish	1	2
Bluegill	1	.	3	.	2
Longear sunfish	.	1	1
Spotted bass	.	.	1	.	1	1	.	.	6	2
Largemouth bass	2	.	.
Speckled darter	1	1	.	.	.
Blackbanded darter	1	.	.	.
Bronze darter	.	.	1
Total	7	4	36	9	11	5	90	46	17	14

Fish Collected in the Weiss Bypass, Fall 2005
Backpack and Seine - Reps 1-30
Ignores Habitat and Simply Looks at Reps
Note: In Earlier Version, Shoreline Skewed Reps 1 & 2^a

Community Sampling Station 4

	Rep									
	11	12	13	14	15	16	17	18	19	20
Gizzard shad
Largescale stoneroller	1	.	.	.
Alabama Shiner	1
Blacktail shiner	1	5	1	1	3	3
Red Shiner	1	1	.	1	.	32	.	2	.	2
Striped shiner
Silver chub
Silverstripe shiner	.	3	1
Bullhead minnow
Mosquitofish
Banded sculpin	1
Redbreast sunfish
Bluegill
Longear sunfish
Spotted bass	1	.	1	.	.
Largemouth bass
Speckled darter
Blackbanded darter
Bronze darter
Total	1	4	1	1	2	39	2	4	3	5

Fish Collected in the Weiss Bypass, Fall 2005
Backpack and Seine - Reps 1-30
Ignores Habitat and Simply Looks at Reps
Note: In Earlier Version, Shoreline Skewed Reps 1 & 2^a

Community Sampling Station 4

	Rep								
	21	22	23	24	25	26	27	28	29
Gizzard shad
Largescale stoneroller	1
Alabama Shiner	6
Blacktail shiner	.	1	.	3	.	2	5	3	22
Red Shiner	.	.	.	3	32	1	1	.	7
Striped shiner
Silver chub
Silverstripe shiner	1	3
Bullhead minnow
Mosquitofish	1
Banded sculpin
Redbreast sunfish	.	.	1
Bluegill
Longear sunfish	1
Spotted bass	.	1
Largemouth bass
Speckled darter
Blackbanded darter
Bronze darter
Total	3	2	1	6	39	3	6	3	32

Fish Collected in the Weiss Bypass, Fall 2005
Backpack and Seine - Reps 1-30
Ignores Habitat and Simply Looks at Reps
Note: In Earlier Version, Shoreline Skewed Reps 1 & 2^a

Community Sampling Station 4

	Rep	Total
	30	
Gizzard shad	.	11
Largescale stoneroller	.	7
Alabama Shiner	.	7
Blacktail shiner	13	163
Red Shiner	.	167
Striped shiner	.	2
Silver chub	.	2
Silverstripe shiner	1	10
Bullhead minnow	.	5
Mosquitofish	.	2
Banded sculpin	.	1
Redbreast sunfish	.	4
Bluegill	.	6
Longear sunfish	.	3
Spotted bass	1	15
Largemouth bass	.	2
Speckled darter	.	2
Blackbanded darter	.	1
Bronze darter	.	1
Total	15	411

a. Site = Community Sampling Station 4