

Fish Collected in the Weiss Bypass, Fall 2006
Method: Boat Electrofishing
Includes Only Fish That Were Actually Collected^a

Community Sampling Station 1

	East		West		Total
	Rep		Rep		
	1	2	1	2	
Spotted gar	11	23	.	.	34
Gizzard shad	2	13	4	9	28
Threadfin shad	246	101	10	159	516
Blacktail shiner	.	1	.	.	1
Red Shiner	4	3	5	2	14
Common carp	7	4	.	.	11
Spotted sucker	1	.	.	3	4
River redhorse	.	.	1	.	1
Blacktail redhorse	1	.	.	2	3
White bass	.	.	1	.	1
Yellow bass	4	.	.	.	4
Striped bass	1	.	.	.	1
Warmouth	.	.	1	.	1
Bluegill	.	.	16	6	22
Longear sunfish	.	.	.	1	1
Redear sunfish	1	.	.	2	3
Largemouth bass	.	.	3	5	8
White crappie	.	.	2	.	2
Black crappie	.	.	1	.	1
Freshwater drum	1	.	2	.	3
Total	279	145	46	189	659

a. Site = Community Sampling Station 1

Fish Collected in the Weiss Bypass, Fall 2006
Method: Boat Electrofishing
Includes Only Fish That Were Actually Collected^a

Community Sampling Station 2

	East		West		Total
	Rep		Rep		
	1	2	1	2	
Spotted gar	16	.	.	.	16
Longnose gar	1	.	.	.	1
Gizzard shad	12	120	14	10	156
Threadfin shad	138	26	10	10	184
Blacktail shiner	.	2	.	1	3
Red Shiner	3	5	.	3	11
Common carp	5	.	.	.	5
Spotted sucker	.	.	.	3	3
Blacktail redhorse	.	3	4	.	7
Blue catfish	.	.	.	2	2
Channel catfish	.	4	.	.	4
White bass	.	1	.	1	2
Yellow bass	.	.	.	1	1
Striped bass	.	23	.	.	23
Green sunfish	.	1	.	.	1
Bluegill	2	8	.	4	14
Redear sunfish	.	1	.	1	2
Largemouth bass	5	2	4	2	13
White crappie	.	.	.	6	6
Black crappie	.	1	.	.	1
Freshwater drum	1	2	.	1	4
Total	183	199	32	45	459

a. Site = Community Sampling Station 2

Fish Collected in the Weiss Bypass, Fall 2006
Method: Boat Electrofishing
Includes Only Fish That Were Actually Collected^a

Community Sampling Station 3

	East		West		Total
	Rep		Rep		
	1	2	1	2	
Gizzard shad	4	17	11	3	35
Threadfin shad	133	.	10	11	154
Largescale stoneroller	1	.	.	2	3
Blacktail shiner	5	3	9	11	28
Red Shiner	1	.	8	2	11
Silverstripe shiner	1	.	.	6	7
Alabama hogsucker	1	.	.	.	1
River redhorse	2	1	.	7	10
Golden redhorse	.	4	2	1	7
Blacktail redhorse	1	2	.	4	7
Blue catfish	.	2	3	.	5
Channel catfish	3	.	3	6	12
White bass	.	3	3	1	7
Yellow bass	2	41	.	3	46
Striped bass	6	.	13	1	20
Green sunfish	5	.	.	.	5
Bluegill	4	2	4	3	13
Longear sunfish	2	1	.	4	7
Redear sunfish	.	2	.	.	2
Spotted bass	5	5	2	3	15
Largemouth bass	1	.	1	1	3
Mobile logperch	.	.	1	.	1
Blackbanded darter	.	.	.	1	1
Freshwater drum	12	10	8	13	43
Total	189	93	78	83	443

a. Site = Community Sampling Station 3

Fish Collected in the Weiss Bypass, Fall 2006
Method: Boat Electrofishing
Includes Only Fish That Were Actually Collected^a

Community Sampling Station 4

	East		West		Total
	Rep		Rep		
	1	2	1	2	
Gizzard shad	32	41	62	37	172
Threadfin shad	49	37	66	57	209
Blacktail shiner	.	1	3	.	4
Red Shiner	.	.	3	1	4
Silverstripe shiner	2	.	.	.	2
Bluntnose minnow	.	.	2	.	2
Bullhead minnow	.	.	.	7	7
River redhorse	.	.	1	.	1
Blue catfish	3	5	2	.	10
Channel catfish	.	1	2	.	3
White bass	1	.	1	3	5
Yellow bass	27	7	4	11	49
Striped bass	1	1	.	.	2
Bluegill	8	7	11	7	33
Longear sunfish	3	3	4	4	14
Redear sunfish	.	.	1	2	3
Spotted bass	2	4	2	3	11
Largemouth bass	.	.	.	1	1
Black crappie	1	.	.	.	1
Blackbanded darter	.	.	1	.	1
Freshwater drum	25	10	13	6	54
Total	154	117	178	139	588

a. Site = Community Sampling Station 4

Fish Collected in the Weiss Bypass, Fall 2006
Method: Boat Electrofishing
Includes Only Fish That Were Actually Collected^a

Terrapin Creek

	N/A	Total
	Rep	
	1	
Gizzard shad	2	2
Largescale stoneroller	2	2
Blacktail shiner	12	12
Red Shiner	4	4
Silverstripe shiner	3	3
Alabama hogsucker	1	1
Blacktail redhorse	3	3
Channel catfish	3	3
Green sunfish	3	3
Bluegill	7	7
Longear sunfish	1	1
Redear sunfish	1	1
Largemouth bass	3	3
Freshwater drum	15	15
Total	60	60

a. Site = Terrapin Creek