

Table F-1 Fish stockings in Lewis Smith Lake, 1975 to 2003¹ (Source: Marion State Hatchery, Marion, ADCNR, Alabama, as modified by Kleinschmidt).

Species	Date	Size Group (in)	Total
smallmouth bass	1975	1-2	50,456
largemouth bass	1981 ²	1	19,980
	1985	2-4	23,500
	1986	1	43,700
	1987	2-3	21,700
	1990	1-2	21,200
	1991	1-3	42,156
	1992	1-2	42,400
	1993	1	42,400
	2003	1-3	459,406
striped bass	1983 ³	2	49,000
	1984	2-16	30,092
	1985	8	1,078
	1986	2-16	105,800
	1987	2	20,000
	1988	1-2	42,400
	1989	1-2	42,400
	1990	2	24,700
	1991	1-2	63,604
	1992	2	66,500
	1993	1-2	72,952
	1994	1	66,098
	1995	1-2	68,614
	1996	1	43,350
	1997	1-8	76,274
	1998	1-2	64,838
	1999	5	183
	2000	1	64,000
2001	1	65,140	
2002	1-2	63,046	
2003	1-2	31,800	
			Total 1,061,869

¹In some years, the lake was stocked on more than one occasion, sometimes using different size classes. This table presents total number and size range stocked within a particular year.

²Florida strain (all largemouth bass stocked)

³Gulf Coast strain (all striped bass stocked)

Table F-2 Fish stocking record for the Sipsey Fork below Lewis Smith Dam¹ (Source: Marion State Hatchery, Marion, ADCNR, Alabama, as modified by Kleinschmidt)

Species	Year	Size Group (in.)	Total
brown trout	1983	2	15,040
rainbow trout	1983	9-10	10,500
	1984	7-13	8,547
	1985	8-11	8,750
	1986	9-10	7,000
	1987	6-11	3,500
	1988	9	10,502
	1989	7-10	8,750
	1990	9	3,617
	1991	7-9	7,003
	1992	9	3,500
	1993	8-11	11,016
	1994	5-12	10,516
	1995	7-11	11,967
	1996	7-11	10,543
	1997	8-12	10,512
	1998	8-10	3,501
	1999	8-11	17,567
2000	8-12	17,503	
2001	8-11	17,517	
2002	8-12	14,015	
2003	8-10	17,490	
Total			213,816

¹ In most years, the river was stocked on more than one occasion, sometimes using different size classes. This table presents total number and size range stocked within a particular year.

Table F-3 Fish stockings record for Bankhead Lake¹ (Source: personal communication, Nick Nichols, May 3, 2000, Hatchery Supervisor, Marion State Hatchery, Marion, ADCNR, Alabama, as modified by Kleinschmidt)

Species	Year	Size Group (inches)	Number
largemouth bass	1981 ²	2-3	12,320
	1983	1-6	9,000
	1985	1-2	10,000
	1986	1-2	10,200
	1987	1	9,200
	1988	2	36,800
	1989	1-2	15,500
	1990	1-2	18,400
	1991	1-2	18,421
	1992	2	18,400
	1993	1	18,400
	1994	1	18,400
hybrid striped bass	1987	1-2	54,800
	1988	1-2	18,400
	1989	2	8,400
	1990	1	18,400
	1991	1-2	18,400
	1992	1	18,400
	1993	1	18,465
	1994	1	92,424
	1995	1	18,446
	1996	1	18,480
	1997	1	18,547
	1998	1	18,403
	1999	1	36,952
	2000	1	18,703
	2001	1	36,800
2002	1-2	18,575	
2003	1-2	18,795	
			Total 451,390
bluegill sunfish	1996	2	60,000

¹ In some years, the lake was stocked on more than one occasion, sometimes using different size classes. This table presents total number and size range stocked within a particular year.

² Florida strain (all largemouth bass stocked)